


MÁRMOL CARRARA

Revestimiento Monoporosa Rectificado / Wall Tiles Rectified



MÁRMOL CARRARA BLANCO

31,6x90x0,9cm

P3470513 / 100096398

G261

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Blanco B22501001 / 100004294

PERFIL MÁRMOL CARRARA BLANCO

1,5x31,6cm

P6209036 / 100063234

G77

1,5x90cm

P6560217 / 100063235

G97



MOSAICO CARRARA BLANCO

31,6x90x0,95cm

P3470555 / 100099103

G271

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Blanco B22501001 / 100004294



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x90cm	4	1,14	57	64,84	18,17	1071	Fr-one n
1,5x31,6cm	30	0,28	42	11,94	3,62	156,24	Fr-one n
1,5x90cm	15	0,41	28	11,34	5,56	155,74	Fr-one n

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE CARRARA 43,5x43,5cm · PAG.205

FLOOR TILES COMBINATIONS: CARRARA SERIES 43,5x43,5cm · PAG.205



MÁRMOL CARRARA BLANCO 31,6x90cm

CARRARA NATURAL

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



CARRARA BLANCO NATURAL P-R

59,6x59,6x1,1cm P1856885 / 100137737 G347

59,6x120x1,1cm P1976818 / 100153703 G369

Butech recomienda junta / Butech recommends joint:

Colorstuk Rapid n Blanco B22501001 / 100004294

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	one-flex n / maxifluid
59,6x120cm	2	1,43	28	40,05	39,14	1095,92	fr-one n + unilax
9x59,6cm Zócalo	18	0,97	56	54,07	22,57	1301,92	one-flex n
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	one-flex n / maxifluid
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	one-flex n / maxifluid

*valores aproximados. *approximated values.



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO

9x59,6cm

CARRARA BLANCO P9210169 / 100138013 G30



· HUELLA TÉCNICA 31,6x59,6cm


		ESQUINA DERECHA		ESQUINA IZQUIERDA	
CARRARA BLANCO	P9210278 / 100156983	G130	P9210422 / 100193884	G150	P9210409 / 100193834

· HUELLA TÉCNICA 31,6x120cm

G180 · HUELLA TÉCNICA ESQ. DER/IZQ. 31,6x120cm G187

CARRARA BRILLO

Gres Rectificado / Rectified Floor Tiles



CARRARA BLANCO BRILLO

59,6x59,6x1,1cm

P1856896 / 100137736

G347

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B22501001 / 100004294

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	31,74	1127,62	one-flex n / maxifluid
10x44,6cm Zócalo	20	0,87	72	62,84	18,79	1352,68	one-flex n
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	one-flex n / maxifluid
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	one-flex n / maxifluid

*valores aproximados. *approximated values.



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MODERADO
INTENSITY OF PEDESTRIAN TRANSIT: MODERATE TRANSIT



ZÓCALO	10x44,6cm	
CARRARA BLANCO BRILLO	P4328112 / 100171102	G7



· HUELLA TÉCNICA 31,6x59,6cm

CARRARA BRILLO

P9210291 / 100162743

G130

P9210363 / 100190183

G150

ESQUINA DERECHA

ESQUINA IZQUIERDA

P9210364 / 100190152

G150